INDOOR WPC WALL PANEL

What is WPC ?

WPC (Wood Plastic Composite) is extruded thermoplastic composite made of polyethylene and natural wood fiber. Wood plastic composite is more environmentally friendly and requires less maintenance than the alternatives of solid wood. WPC is resistant to cracking and splitting, it is a material that can be molded with or without simulated wood grain details.

Strength and Durability
Unlike timber, our boards retain their strength and durability throughout their life.

No Rotting or Warping
A unique material composition resistant to the damaging effects of moisture build-up.

Eco-Friendly
A long-lasting material composed of a blend of recycled plastic and wood fibres.

No Splintering
The material composition ensures long-term safety and assurance.

25 Year Residential Warranty
High-quality, long-lasting products with a 25-year warranty.

Very Low Maintenance
All our boards are hard-wearing and easy to maintain.

WALL PANEL

Homy indoor WPC wall panels have multiple designs and colors, and they can create unique style and feel in private homes, shops, offices and hotels, etc.

Indoor WPC Wall Panel Collections

Code	Pictures	Model Drawing	Size
HM16024A			160mm(W)*24mm(T)
HM20020A			200mm(W)*20mm(T)
HM17016A			170mm(W)*16mm(T)
HM14016A			140mm(W)*16mm(T)
HM16015A			160mm(W)*15mm(T)
HM19528A			195mm(W)*28mm(T)
HM19512A HM19514A			195mm(W)*12/14mm(T)
HM15009A			150mm(W)*9mm(T)

Code	Pictures	Model Drawing	Size
HM20009A			200mm(W)*9mm(T)
HM15009B			150mm(W)*9mm(T)
HM15009C			150mm(W)*9mm(T)
HM19509A			195mm(W)*9mm(T)
HM7514A			75mm(W)*14mm(T)
HM15015A			150mm(W)*15mm(T)
HM16925A			169mm(W)*25mm(T)
HM19612A			196mm(W)*12mm(T)

Homy WPC Wall Panel HM16024A

Homy Indoor WPC Wall Cladding can be easily installed with our simplistic tongue and groove design which requires no professional assistance

Code	HM16024A
Raw Material	Wood Plastic Composite
Size	160mm(W) * 24mm(T)
Length	2.8/2.9m or customized
Color	Wood Texture, Stone Texture, Cloth Pattern, Wallpaper Texture, Pure Color, etc.
Advantage	Waterproof, Fireproof, Anti-corrosion, Anti-insect, Easy & fast installation, Eco-friendly.
Applications	Hotels, Commercial Buildings, Restaurants, Hospital, Schools, Home Kitchen, Bathroom, etc.

Finished Panel Colors

RF046: Northern Pine

RF011: Engineer Wood 8

RF054: Cherry

RF013: Fishbone Wood1

RF006: Engineer Wood 12

RF005: Engineer Wood 10

HOMY WPC
One-Stop Wall Panel Supplier

Homy WPC Wall Panel HM20020A

Homy WPC Wall Panel is the best substitute to regular wood-based wall panel for interior decorations.

Code	HM20020A
Raw Material	Wood Plastic Composite
Size	200mm(W) * 20mm(T)
Length	2.8/2.9m or customized
Color	Wood Texture, Stone Texture, Cloth Pattern, Wallpaper Texture, Pure Color, etc.
Advantage	Waterproof, Fireproof, Anti-corrosion, Anti-insect, Easy & fast installation, Eco-friendly.
Applications	Hotels, Commercial Buildings, Restaurants, Hospital, Schools, Home Kitchen, Bathroom, etc.

Finished Panel Colors

RF-093 White

RF-051:Stripe Wood

RF031:Yellow

RF091: Frosted Grey

RF020: Golden

RF059 White Pear Wood

RF066: Gorgeous Wood 34

RF053: European Walnut

HOMY WPC
One-Stop Wall Panel Supplier

Homy WPC Wall Panel HM17016A

The biggest feature of Homy wood-plastic wallboard is waterproof, moisture-proof and insect-proof.

|	
Code	HM17016A
Raw Material	Wood Plastic Composite
Size	170mm(W) * 16mm(T)
Length	2.8/2.9m or customized
Color	Wood Texture, Stone Texture, Cloth Pattern, Wallpaper Texture, Pure Color, etc.
Advantage	Waterproof, Fireproof, Anti-corrosion, Anti-insect, Easy & fast installation, Eco-friendly.
Applications	Hotels, Commercial Buildings, Restaurants, Hospital, Schools, Home Kitchen, Bathroom, etc.

Finished Panel Colors

HM009: Sub Teak

HM007: Merbau

RF-092: Black

RF-100: Ancient Pine3

HM028: Ivory White

RF-099: Ancient Pine2

HOMY WPC
One-Stop Wall Panel Supplier

Homy WPC Wall Panel HM14016A

Homy WPC Wall panels can either be connected side by side or with decorative metal profiles which are available in multiple colors.

|	
Code	HM14016A
Raw Material	Wood Plastic Composite
Size	140mm(W) * 16mm(T)
Length	2.8/2.9m or customized
Color	Wood Texture, Stone Texture, Cloth Pattern, Wallpaper Texture, Pure Color, etc.
Advantage	Waterproof, Fireproof, Anti-corrosion, Anti-insect, Easy & fast installation, Eco-friendly.
Applications	Hotels, Commercial Buildings, Restaurants, Hospital, Schools, Home Kitchen, Bathroom, etc.

Finished Panel Colors

RF093:Warm White

RF068: Black Wire-brush

RF031:Yellow Maple

RF038: Larch

RF032: White Maple

RF052: Ebony

RF005: Engineer Wood 10

RF051 Stripe Wood

HOMY WPC
One-Stop Wall Panel Supplier

Homy WPC Wall Panel HM16015A

The decorative WPC wall panel is widely praised in the market for its beautiful appearance, durable strength, waterproof and moisture-proof, anti-corrosion and low maintenance.

| Code	HM16015A
Raw Material	Wood Plastic Composite
Size	160mm(W) * 15mm(T)
Length	2.8/2.9m or customized
Color	Wood Texture, Stone Texture, Cloth Pattern, Wallpaper Texture, Pure Color, etc.
Advantage	Waterproof, Fireproof, Anti-corrosion, Anti-insect, Easy & fast installation, Eco-friendly.
Applications	Hotels, Commercial Buildings, Restaurants, Hospital, Schools, Home Kitchen, Bathroom, etc.

Finished Panel Colors

HM016: Pure White

HM007: Merbau

HM017: Black

HM015: Walnut

HM018: Apple

HM028: Ivory White

HM006: Black Gold

HM009: Sub Teak

HOMY WPC
One-Stop Wall Panel Supplier

Homy WPC Wall Panel HM19528A

The diversity of WPC wall panel types and colors brings more convenience to different types of interior design.

Code	HM19528A
Raw Material	Wood Plastic Composite
Size	195mm(W) * 28mm(T)
Length	2.8/2.9m or customized
Color	Wood Texture, Stone Texture, Cloth Pattern, Wallpaper Texture, Pure Color, etc.
Advantage	Waterproof, Fireproof, Anti-corrosion, Anti-insect, Easy & fast installation, Eco-friendly.
Applications	Hotels, Commercial Buildings, Restaurants, Hospital, Schools, Home Kitchen, Bathroom, etc.

Finished Panel Colors

RF008: Engineer Wood 13

RF068: Black Wire-brush

RF006: Engineer wood 12

RF001: Engineer wood 1

RF021: Golden Teak

RF024: Wenge

RF023: Apple Wood

RF090: Frosted White

HOMY WPC
One-Stop Wall Panel Supplier

Homy WPC Panel HM19512A/HM19514A

Homy WPC Wall Panel is a type of beautiful decorative covering with the purpose of making a wall look distinguished and appealing to the eye.

Code	HM19512A / HM19514A
Raw Material	Wood Plastic Composite
Size	195mm(W) * 12/14mm(T)
Length	2.8/2.9m or customized
Color	Wood Texture, Stone Texture, Cloth Pattern, Wallpaper Texture, Pure Color, etc.
Advantage	Waterproof, Fireproof, Anti-corrosion, Anti-insect, Easy & fast installation, Eco-friendly.
Applications	Hotels, Commercial Buildings, Restaurants, Hospital, Schools, Home Kitchen, Bathroom, etc.

Finished Panel Colors

RF-091: Matte Grey

RF-004: Engineer Wood5

RF-024: Wenge

RF-021：Golden Teak

RF-020: Golden Oak

RF-103: Sandalwood

RF-068: Black Wire-brush

RF-027: Nanmu

HOMY WPC
One-Stop Wall Panel Supplier

Homy WPC Wall Panel HM15009A

Indoor WPC Wood Paneling are ideal for any commercial or domestic, new build or refurbishment cladding project.

|	
Code	HM15009A
Raw Material	Wood Plastic Composite
Size	150mm(W) * 9mm(T)
Length	2.8/2.9m or customized
Color	Wood Texture, Stone Texture, Cloth Pattern, Wallpaper Texture, Pure Color, etc.
Advantage	Waterproof, Fireproof, Anti-corrosion, Anti-insect, Easy & fast installation, Eco-friendly.
Applications	Hotels, Commercial Buildings, Restaurants, Hospital, Schools, Home Kitchen, Bathroom, etc.

Finished Panel Colors

RF027: Nanmu

RF053: European Walnut

RF-040: Yellow Pine

RF034: Jujube Wood

RF-102: Rosewood

RF068: Black Wire-brush

HOMY WPC
One-Stop Wall Panel Supplier

Homy WPC Wall Panel HM20009A

9.Homy WPC decorative wall panels series offers a cost-effective, flexible and versatile alternative to conventional facade designs.

Code	HM20009A
Raw Material	Wood Plastic Composite
Size	200mm(W) * 9mm(T)
Length	2.8/2.9m or customized
Color	Wood Texture, Stone Texture, Cloth Pattern, Wallpaper Texture, Pure Color, etc.
Advantage	Waterproof, Fireproof, Anti-corrosion, Anti-insect, Easy & fast installation, Eco-friendly.
Applications	Hotels, Commercial Buildings, Restaurants, Hospital, Schools, Home Kitchen, Bathroom, etc.

Finished Panel Colors

RF075: Golden Cloth   RF092: Frosted Black   RF006: Engineer Wood 12   RF-093: White

RF020: Golden Oak   RF051 Stripe Wood   RF027: Nanmu   RF103: Sandalwood

HOMY WPC
One-Stop Wall Panel Supplier

Homy WPC Wall Panel HM15009B

The WPC wall panels are also known as decorative wall panels available in wood colors, stone colors, pure colors, wallpaper colors, etc

Code	HM15009B
Raw Material	Wood Plastic Composite
Size	150mm(W) * 9mm(T)
Length	2.8/2.9m or customized
Color	Wood Texture, Stone Texture, Cloth Pattern, Wallpaper Texture, Pure Color, etc.
Advantage	Waterproof, Fireproof, Anti-corrosion, Anti-insect, Easy & fast installation, Eco-friendly.
Applications	Hotels, Commercial Buildings, Restaurants, Hospital, Schools, Home Kitchen, Bathroom, etc.

Finished Panel Colors

HM007: Merbau   HM019: Light Green   HM027: Pink

HM024: Sky Blue   HM023: Red   HM015: Walnut

HOMY WPC
One-Stop Wall Panel Supplier

Homy WPC Wall Panel HM15009C

Our WPC wall cladding is the ideal solution for indoor living decoration. Graceful wall panels and decoration trims are widely used at all indoor decoration.

|	
Code	HM15009C
Raw Material	Wood Plastic Composite
Size	150mm(W) * 9mm(T)
Length	2.8/2.9m or customized
Color	Wood Texture, Stone Texture, Cloth Pattern, Wallpaper Texture, Pure Color, etc.
Advantage	Waterproof, Fireproof, Anti-corrosion, Anti-insect, Easy & fast installation, Eco-friendly.
Applications	Hotels, Commercial Buildings, Restaurants, Hospital, Schools, Home Kitchen, Bathroom, etc.

Finished Panel Colors

RF660: Beige Oak

HM019: Light Green

RF026: Beige Oak

RF022: Red Sandalwood 1

RF110: Rami White Oak

HOMY WPC
One-Stop Wall Panel Supplier

Homy WPC Wall Panel HM19509A

Decorate your walls with modern WPC wall panels that gives aesthetic pleasure.

Code	HM19509A
Raw Material	Wood Plastic Composite
Size	195mm(W) * 9mm(T)
Length	2.8/2.9m or customized
Color	Wood Texture, Stone Texture, Cloth Pattern, Wallpaper Texture, Pure Color, etc.
Advantage	Waterproof, Fireproof, Anti-corrosion, Anti-insect, Easy & fast installation, Eco-friendly.
Applications	Hotels, Commercial Buildings, Restaurants, Hospital, Schools, Home Kitchen, Bathroom, etc.

Finished Panel Colors

RF-8001 : White Oak

RF-8007 : Wood

RF-112 : White Oak

RF-020 : Golden Oak

RF-023 : Red Apple

RF-097 : Yellow

HOMY WPC

One-Stop Wall Panel Supplier

Homy WPC Wall Panel HM07514A

Being a moisture and water proof material, WPC wall panels are more durable compared to other wall panel materials. It is easy installable, eco-friendly and highly fire resistant.

Code	HM07514A
Raw Material	Wood Plastic Composite
Size	75mm(W) * 14mm(T)
Length	2.8/2.9m or customized
Color	Wood Texture, Stone Texture, Cloth Pattern, Wallpaper Texture, Pure Color, etc.
Advantage	Waterproof, Fireproof, Anti-corrosion, Anti-insect, Easy & fast installation, Eco-friendly.
Applications	Hotels, Commercial Buildings, Restaurants, Hospital, Schools, Home Kitchen, Bathroom, etc.

Finished Panel Colors

HM8001: Orange	HM8002: Ice Green	HM8003: Blue Whale
HM8004: Warm White	HM8005: Khaki	HM8006: Elegant Grey

HOMY WPC
One-Stop Wall Panel Supplier

Homy WPC Wall Panel HM15015A

Our interior decoration WPC wall panel provides an ideal, tough and non-slip surface choice. The vivid wood grain appearance makes it look and feel more natural.

|	
Code	HM15015A
Raw Material	Wood Plastic Composite
Size	150mm(W) * 15mm(T)
Length	2.8/2.9m or customized
Color	Wood Texture, Stone Texture, Cloth Pattern, Wallpaper Texture, Pure Color, etc.
Advantage	Waterproof, Fireproof, Anti-corrosion, Anti-insect, Easy & fast installation, Eco-friendly.
Applications	Hotels, Commercial Buildings, Restaurants, Hospital, Schools, Home Kitchen, Bathroom, etc.

Finished Panel Colors

RF014: Fishbone Wood 2

RF066: Gorgeous Wood 34

RF051 Stripe Wood

RF004: Engineer Wood 5

RF007: Engineer Wood 11

RF003: Engineer Wood 3

HOMY WPC
One-Stop Wall Panel Supplier

Homy WPC Wall Panel HM16925A

Homy WPC Wall Cladding is perfect for all interior spaces from bathrooms and kitchens to bars and restaurants.

Code	HM16925A
Raw Material	Wood Plastic Composite
Size	169mm(W) * 25mm(T)
Length	2.8/2.9m or customized
Color	Wood Texture, Stone Texture, Cloth Pattern, Wallpaper Texture, Pure Color, etc.
Advantage	Waterproof, Fireproof, Anti-corrosion, Anti-insect, Easy & fast installation, Eco-friendly.
Applications	Hotels, Commercial Buildings, Restaurants, Hospital, Schools, Home Kitchen, Bathroom, etc.

Finished Panel Colors

RF038: Larch

RF005: Engineer Wood 10

RF004: Engineer Wood 5

RF006: Engineer Wood 12

HOMY WPC
One-Stop Wall Panel Supplier

Homy WPC Wall Panel HM19612A

Homy WPC Wall panel offers the fine details and unique characteristics of traditional wood panels while countering the drawbacks of traditional wood wall panel.

Code	HM19612A
Raw Material	Wood Plastic Composite
Size	196mm(W)* 12mm(T)
Length	2.8/2.9m or customized
Color	Wood Texture, Stone Texture, Cloth Pattern, Wallpaper Texture, Pure Color, etc.
Recycling	Waterproof, Fireproof, Anti-corrosion, Anti-insect, Easy & fast installation, Eco-friendly.
Applications	Hotels, Commercial Buildings, Restaurants, Hospital, Schools, Home Kitchen, Bathroom, etc.

Finished Panel Colors

RF097: Yellow   RF001: Engineer Wood 1   RF090: Frosted White   RF096: Apole Green

RF094: Light Blue   HM020: Ocean Blue   HM025: Orange   RF004:Engineer Wood 5

HOMY WPC
One-Stop Wall Panel Supplier

Installation Process

1. First Installation Method: Using Joist

Indoor Ceiling Installation Method

- Joist
- Concave Line
- L Skirting
- Wall Panel
- Wall Panel

Indoor Wall Installation Method

- Joist
- Wall Panel
- Wall Panel

1.Install the joist
Install the joists on the walls and make sure the distance between joist is within 30-40cm and all joists are on the same level.

2.Install Panels Vertically and Horizontally
Install the panels on the joists in turn.

3.Fix Panels with Screws
Please fix the screws with air gun in the places shown in pictures.

2.Second Installation Method : Using Clips

Accessories & Tools

Screws   Clips   Glues

Installation Process

1.WPC wall panels are installed with clips when the wall is flat.

2.2pcs of clips are needed for 1 meter of wall panels.

3.Glues can be made on the back of the panels to make the panels more stable.

4.Any of nail-free glue, glass glue and structural adhesives is ok.